# **SAFETY DATA SHEET**

**Issuing Date** 15-Mar-2023 Revision Date 20-Apr-2017 Revision Number 0

NGHS / English

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is @ 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier

**Product Name** Witch Hazel Alcohol 14%

Other means of identification

Product Code(s) 1118202

Recommended use of the chemical and restrictions on use

**Recommended Use** Astringent/Toner

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Supplier Identification** PL Developments

200 Hicks Street **Address** 

Westbury New York 11590 **United States** 

**Telephone** Phone:516-986-1700

Fax:516-986-1774

E-mail QA-CRR@pldevelopments.com

Emergency telephone number

**Company Emergency Phone** 

Number

516-986-1700

# 2. HAZARDS IDENTIFICATION

Classification

Flammable liquids Category 3



Appearance Clear Physical state Liquid Odor Witch hazel

### GHS Label elements, including precautionary statements

### Warning

### **Hazard statements**

Flammable liquid and vapor



#### **Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/eye protection/face protection

### **Precautionary Statements - Response**

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

Harmful to aquatic life.

# Unknown acute toxicity 26 % of the mixture consists of ingredient(s) of unknown toxicity

26 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

26 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

26 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

26 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

26 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

# 3. COMPOSITION/INFORMATION ON INGREDIENTS



Page 2 / 11

\_\_\_\_\_\_

### Substance

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material	Date HMIRA filed and
			Information Review Act	date exemption granted
			registry number (HMIRA	(if applicable)
			registry #)	
Oils, Hamamelis	68916-39-2	26	-	-
virginiana				
Ethyl alcohol	64-17-5	14	-	-

# 4. FIRST AID MEASURES

Description of first aid measures

**Inhalation** Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire

extinguishing water must be disposed of in accordance with local regulations.

Hazardous Combustion Products Carbon oxides.



#### **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See Personal precautions

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other Information Ventilate the area.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Take precautionary measures against static discharges. Dam up. Soak up with inert Methods for cleaning up

absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Page 4 / 11

#### Control parameters

# **Exposure Limits**

Chemical name		ACGIH	ACGIH TLV		OSHA PEL		NIOSH IDLH	
	Ethyl alcohol STEL: 1000 p		0 ppm	TWA: 1000 ppm		IDLH: 3300 ppm 10% LE		
	64-17-5			TWA: 1900 mg/m <sup>3</sup>			TWA: 1000 ppm	
					(vacated) TWA: 1000 ppm		TWA: 1900 mg/m <sup>3</sup>	
					ΓWA: 1900 mg/m <sup>3</sup>		-	
	Chemical name	Alberta	Alberta British		mbia Ontario TWAE'		Quebec	
	Ethyl alcohol	TWA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m	STEL: 1000 ppm	
	64-17-5	TWA: 1880 mg/m <sup>3</sup>						

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear
Odor Witch hazel

ColorNo information availableOdor ThresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

oH 4

Melting / freezing point No data available None known

Boiling point / boiling range 88 °C / 190 °F Flash Point 42 C / 108 F

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone known



Flammability Limit in Air None known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 0.9

Water Solubility Completely soluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/waterN/A

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other Information

**Explosive properties** No information available Oxidizing properties No information available **Softening Point** No information available Molecular Weight No information available **VOC Content (%)** No information available No information available **Liquid Density Bulk Density** No information available Particle Size No information available **Particle Size Distribution** No information available

# 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.



Revision Date 20-Apr-2017

# Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

### Numerical measures of toxicity

### **Acute toxicity**

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 37,317.10 mg/kg ATEmix (inhalation-dust/mist) 617.90 mg/L

### Unknown acute toxicity 26 % of the mixture consists of ingredient(s) of unknown toxicity

26 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

26 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

26 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

26 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

26 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### Product Information

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat)4 h	
			= 133.8 mg/L (Rat)4 h	

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA	
Ethyl alcohol A3		Group 1	Known	X	
64-17-5					

# Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.



1118202 - Witch Hazel Alcohol 14%

Revision Date 20-Apr-2017

\_\_\_\_\_

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea	
			microorganisms		
Ethyl alcohol	No data available	96h LC50: 12.0 - 16.0	EC50 = 34634 mg/L 30	48h LC50: 9268 - 14221	
-		mL/L (Oncorhynchus	min	mg/L (Daphnia magna)	
		mykiss)	EC50 = 35470 mg/L 5	48h EC50: = 2 mg/L	
		96h LC50: 13400 -	min	(Daphnia magna)	
		15100 mg/L (Pimephales			
		promelas)			
		96h LC50: > 100 mg/L			
		(Pimephales promelas)			

Persistence and Degradability

No information available.

**Bioaccumulation** 

.

Component Information

Chemical name	Partition coefficient		
Ethyl alcohol	-0.35		

Mobility

No information available.

Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld

containers.

California Waste Codes 311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste		
Ethyl alcohol	Toxic		
64-17-5	Ignitable		

# 14. TRANSPORT INFORMATION



DOTNOT REGULATEDProper Shipping NameNON-REGULATED

Hazard Class N/A

TDG Not applicable

MEX Not applicable

ICAO Not applicable

IATA Not applicable NON REGULATED

Hazard Class N/A

IMDG/IMO Not applicable

Hazard Class N/A

RID Not applicable

ADR Not applicable

ADN Not applicable

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### International Inventories

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

EINECS/ELINCS

Contact supplier for inventory compliance status.

AICS

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

#### <u>Legend</u>

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**



#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

# **California Proposition 65**

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical name	California Proposition 65		
Ethyl alcohol - 64-17-5	Carcinogen		
	Developmental		

#### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol	X	X	X		Χ
64-17-5					

# 16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 2 Instability 0 Physical and Chemical

Properties 
HMIS Health hazards 1 Flammability 2 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 15-Mar-2023

Revision Date 20-Apr-2017

Revision Note No information available



#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

\_\_\_\_\_

**(**U)